UNIVERSITY OF HONG KONG DEPARTMENT OF STATISTICS AND ACTUARIAL SCIENCE

<u>Topics for STAT3319 Statistics Project (12 credits)</u> (2012 – 2013)

1. Approximations for ruin probabilities in insurance risk theory

The (infinite-time) ruin probability can be regarded as a measure of the risk associated to an insurance company. Unfortunately, even in the simplest case of the compound Poisson risk model, closed-form expressions only exist under certain claim severity distributions. This project aims at studying various approximation methods for ruin probability, which include, for example, De Vylder approximation, Tijms' approximation and Dickson-Waters' discretization method. Finite-time ruin probabilities will also be discussed. The student is assumed to be familiar with software packages such as Mathematica, Maple or Matlab.

Supervisor: **Dr. Eric C.K. Cheung**, Department of Statistics and Actuarial Science (MW502J) (eckc@hku.hk)

2. Copulas in statistics and risk management

Copulas are functions that join multivariate distribution functions to their one-dimensional marginal distribution functions. The student who takes this project is expected to study the basic theory of copula and some of its applications in statistics and risk management. In particular, some counter-intuitive results will be explored.

Supervisor: **Dr. K.C. Cheung**, Department of Statistics and Actuarial Science (MW522) (kccg@hku.hk)

3. H shares and A shares

Many Chinese companies in China are dual-listed in Hong Kong and China (Shanghai or Shenzhen) by issuing H shares and A shares respectively, with price discrepancies having been found between them. The student who takes this project is expected to study the relationship between the movements of H shares and A shares, taking into account various economic factors.

Requirement: Knowledge of financial markets and SAS programming.

Supervisor: **Dr. K.S. Chong**, Department of Statistics and Actuarial Science (MW504) (kschong@hku.hk)

4. Simulation of Brownian Motion

Brownian motion is a continuous-time stochastic process that plays an important role in the

mathematical theory of finance. It is the basic building block of the underlying stock price

model used by a large potion of modern finance theory. Monte Carlo simulation of the sample

path of a Brownian motion is often needed in the evaluation of portfolios or analysis of option

pricing. In this project, student will study the basic theories of Brownian motion and explore

different algorithms on the simulation of the sample path, on a regular time grid and on a spatial

grid defined by the first passage times.

Requirement: Knowledge in programming language like FORTRAN or C+ is a MUST.

Supervisor: **Dr. Y.K. Chung**, Department of Statistics and Actuarial Science (MW504)

(yukchung@hku.hk)

5. Analysis of DNA profiling data

DNA profiling has become a very powerful method for forensic human identification since its

inception in 1985. It is regarded as one of the most important discoveries in forensic science

since the introduction of fingerprinting. In this project, the student will learn some basic

background in genetics and DNA profiling. The student will investigate some recent problems in

DNA profiling.

Supervisor: **Prof. W.K. Fung**, Department of Statistics and Actuarial Science (MW523)

(wingfung@hku.hk)

6. **Applications of influence curve**

The identification of influential observations starts from the regression framework. One popular

approach is the influence curve method. The influence curve is essentially the first derivative of

an estimator, viewed as functional, at some distribution. It can be used to study several local

robustness properties which are defined and intuitively interpreted. This project is a revision of

the existing applications of influence curve for various statistical models.

Requirement: Knowledge of programming in SAS, FORTRAN or C++ is essential.

Supervisor: Dr. C.W. Kwan, Department of Statistics and Actuarial Science (MW508)

(cwkwan@hku.hk)

- 2 -

7. Analysis of correlated zero-inflated count data

In many medical and public health investigations, the count data encountered often exhibit an excess of zeros, and very frequently this type of data are collected on clusters of subjects or by repeated measurements on each subject. For example, in the analysis of medical expenditure, members in the same family may exhibit some correlation possibly due to housing locality, genetic predisposition, similar dietary and living habit. Ignoring such correlation may lead to misleading statistical inference. This project will survey the models and methods in the literature and apply them to a real data set.

Requirement: Knowledge in programming language like FORTRAN or C++.

Supervisor: **Dr. Eddy K.F. Lam**, Department of Statistics and Actuarial Science (MW519) (hrntlkf@hku.hk)

8. A study of change-point analysis

Change-point problems arise in a large number of subject areas. The main objective is to detect and make inference about any time point at which the data generating process has undertaken a sudden change, based on a sequence of chronologically ordered data. Change-point analysis can be used, for example, to investigate the incidence of an epidemic among a community, to monitor any change of pollution level that may harm the environment, or to identify a sudden decline of a culture based on archaeological data. This project aims to provide a general review of this proliferating area of statistical application.

Supervisor: **Prof. Stephen M.S. Lee**, Department of Statistics and Actuarial Science (MW528) (smslee@hku.hk)

9. Bootstrap approximation in time series modeling

The traditional time series modeling and further inference are based on the normality assumption or large enough sample size. In the real applications, the normality may be broken and the results may not be accurate for the moderate or small sample sizes. The bootstrap is a computer-intensive method, and the information in the real data is repeatedly used. Hence it may provide more accurate results. This project hopefully can train students for some bootstrap methods to dependent data, and some knowledge of computer languages such as FORTRAN or C is required since a little more computation will be involved.

Supervisor: **Dr. G. Li**, Department of Statistics and Actuarial Science (MW502H) (gdli@hku.hk)

10. Nonlinear Modelling of Environmental Time Series

The changes in environmental factors, for example, air temperature and rainfall, affect our daily life in recent years. Due to rapid changing in the atmospheric conditions, the modelling and hence prediction of these highly fluctuated factors become a challenging task since the conventional linear approach may be inappropriate. In this study, the nonlinearity and the non-Gaussianity of some environmental times series of Hong Kong will be explored by modern statistical techniques.

Requirement: Basic knowledge of linear time series is preferred and the knowledge of R programming is required for this project.

Supervisor: **Dr. Gilbert C.S. Lui,** Department of Statistics and Actuarial Science (MW506) (csglui@hku.hk)

11. Risk Analysis of Mandatory Provident Fund and Universal Retirement Scheme

Mandatory Provident Fund (MPF) has been in place in Hong Kong for more than ten years. During this period, the system has been affected by various factors such as reluctance of participation, downturn in investment market and high levels of administration fees. In recent years, several political groups have promulgated the establishment of Universal Retirement Scheme (URS). In this project, the student will analyze the risk factors affecting these two types of retirement security programs. The student is expected to collect information relating to MPF and URS in Hong Kong and other jurisdictions. The end result should be a comparison of the levels of retirement income under various scenarios.

Supervisor: **Dr. Louis F. K. Ng**, Department of Statistics and Actuarial Science (MW505) (flouisng@hku.hk)

12. Simulation Study of Finite-sample Performance of Maximum Likelihood Estimator

Maximum likelihood estimator has good asymptotic properties for extremely large samples. Nowadays it has become the most fashionable estimator in literature even for small to moderate sample sizes because, unlike other descriptive principles such as unbiasedness and invariance, it is a constructive principle which points to a specific direction to estimate once a parametric model is proposed. General guidelines for the sample size, such as 20-30 observations per unknown parameter, had been given by gurus in statistics. This project is a computer simulation study of the finite-sample performance of the MLE. The aim is to see how good the MLE is for moderate sample sizes. The area of applications of MLE to be considered in the project depends on the candidate's exposure and would be determined after a meeting with the instructor. For areas in which the MLE requires intensive statistical computing, the software SAS will be used to avoid over extensive computer programming.

Supervisor: **Prof. K.W. Ng**, Department of Statistics and Actuarial Science (MW525) (kaing@hku.hk)

13. Sample surveys with sensitive questions by non-randomized response techniques

In epidemiological, medical, public health, psychological and sociological surveys, investigators may require to solicit information on sensitive or highly personal questions such as sex, abortion, illegitimate birth, AIDs, illegal betting, shoplifting, drug-taking, tax evasion, annual income, family violence, students' cheating behavior and so on. When sensitive questions are asked directly, some respondents may refuse to answer; even worse, they might provide wrong answers to maintain privacy. To overcome the aforementioned difficulty, Warner (1965, JASA) proposed a so-called randomized response (RR) technique that allows investigators to obtain sensitive information while protecting privacy of respondents. Since the introduction of the Warner model, voluminous work related to the RR technique has been developed in various directions over the past 45 years. Despite these advances, all RR models have the following limitations: (I) a lack of reproducibility (i.e., the same respondent is expected to give the same answer by the design if the survey is conducted again); (II) a lack of trust from the interviewees because randomization device (RD) is controlled by interviewer; and (III) a higher cost due to the use of RDs.

In the past several years, to address some of these issues, without using any RDs some researchers have developed several non-randomized response (NRR) techniques including the crosswise design, the triangular design, and the parallel design for a single sensitive question with a binary outcome. In this project, the admitted candidates are expected to (i) collect real data in Hong Kong for a specific sensitive topic using the three models, (ii) to compare their performances, and (iii) to analyze these data by using likelihood-based method and Bayesian method via R program.

Supervisor: **Dr. Gary G.L. Tian**, Department of Statistics and Actuarial Science (MW520) (gltian@hku.hk)

14. Investigation of Semi-Static Hedging for Exotic Options

In the context of option pricing theory, two popular hedging methods are dynamic hedging and static hedging, in which both methods have their own merits and limitations. Kolkiewicz and Liu (2012) proposed a so-called semi-static hedging method for the Guaranteed Minimum Withdrawal Benefit (GMWB) in variable annuities. It is of interest to investigate the effectiveness of this hedging strategy for other exotic options. Students are expected to have some background knowledge in some path-dependent options. In this project, students will study the theoretical framework of relative issues and will conduct simulation studies to investigate the performance of the semi-static hedging method.

Requirement: Knowledge in programming language like Mathematica, MATLAB or R.

Supervisor: **Dr. K.P. Wat**, Department of Statistics & Actuarial Science (MW529) (watkp@hku.hk)

15. Investigation of Non-normality in a Simple Errors-in-variables Model

In a classical linear regression model, it is usually assumed that the predictive variable is not subject to any kind of random error. However, it is not always true in many applications. In addition, it is also a common practice to assume that the error in the regression model is normally distributed. Unfortunately, we may often find that most real data sets do not really exhibit such nice properties. In this project, student will investigate the non-normality situation where the errors in a regression model exist. Computer programming skill is required.

Requirement: Strong knowledge in computer programming and statistical simulation technique is a must.

Supervisor: **Dr. Raymond W.L. Wong**, Department of Statistics & Actuarial Science (MW511) (rwong@hku.hk)

16. Applications to risk theory with a class of Erlang mixures

It is known that a variety of distributions are of mixed Erlang type, in which case computational formula exists for many quantities of interests in risk theory. In this project, the student studies distributional properties of the class of Erlang mixtures as well as various risk theoretic applications including analysis of insurer's surplus process and discounted aggregate claims. In particular, the student is assumed to possess computational skills and statistical background to apply the methods of Lee and Lin (2010) who studied fitting of Erlang mixtures to data by using the EM algorithm and parameter reduction techniques.

Supervisor: **Dr. J.K. Woo**, Department of Statistics and Actuarial Science (MW530) (jkwoo@hku.hk)

17. Option Pricing and Valuation of Equity Linked Insurance Products under a Regime Switching Model

In this project, after reviewing the basic theory of option pricing, we consider a stock price model which is a regime switching version of the classical Black-Scholes model. Both European option and some exotic options will be considered. Then the method will be used to consider the problem of valuation of equity linked insurance products. The student taking this project should have some basic knowledge on option pricing theory and can write some simple computer programming.

Supervisor: **Prof. H. Yang**, Department of Statistics & Actuarial Science (MW526) (hlyang@hku.hk)

18. Analysis of large data sets: new tools from random matrix theory

Large data sets refer to data where the number of variables, or data dimension say p, is large

compared to the sample size, say n. Modern statistical problems involve frequently such large

data sets from various fields like genomic data analysis, financial portfolio optimization or

design of wireless communication networks. For example in a genomic micro-array, p is

several thousands and n several hundreds. Classical multivariate statistical tools dramatically fail

to analyse these large data sets: either there are not applicable any more or lack efficiency.

New tools have emerged recently from the theory of random matrices. Most of them are based

on the distribution of eigenvalues of sample covariance matrices which are computable from the

Classical tools like Hotelling T² (tests on the mean), testing of generalized linear

hypothesis (for regression or MANOVA) have been corrected or adapted to cope with large data

The theory behind is appealing and applications to large-dimensional data analysis are

significant.

In this project, the student will i) learn some fundamental theorems from the theory of random

matrices; ii) learn some new statistical tools developed recently; iii) start some own thinking

about unsolved problems or perform some simulation experiments in order to get a deeper

understanding of these results. I have included below an expository paper on the subject for a

first introduction.

First reading:

Z.D. BAI (2005). High dimensional data analysis. COSMOS, Vol. 1, No. 1, 17–27.

(downloadable from: http://web.hku.hk/~jeffyao/Bai-cosmos-05.pdf)

Supervisor: **Dr. J.F. Yao**, Department of Statistics & Actuarial Science (MW502G)

(jeffyao@hku.hk)

-8-

19. Group Sequential Methods

Conventional clinical trial designs typically determine the total sample size in advance and only perform

one final analysis after all the data are collected according to the planned sample size. These methods are

rigid and lack flexibility. By contrast, group sequential methods are much more flexible, which

regularly examine the efficacy data over administratively convenient intervals, and also monitor possible

futility stopping along the course of the study (Jennison and Turnbull, 2000). Students will explore

and compare different group sequential methods. Extensive R programming and simulations

are needed.

Requirement: Programming in R.

Supervisor: **Dr. G. Yin**, Department of Statistics and Actuarial Science (MW502E)

(gyin@hku.hk)

20. Interval Estimation of Sharpe Ratio

The building blocks of the Sharpe ratio-expected returns and volatilities-are unknown quantities

that must be estimated and are therefore subject to estimation error. How accurately is Sharpe ratio

measured? This project reviews several methods of constructing a confidence interval for Sharpe

ratio. Simulations will be conducted to compare their performance.

Supervisor: **Dr. Philip L.H. Yu**, Department of Statistics and Actuarial Science (MW521)

(plhyu@hku.hk)

21. Forecasting the Ranks of Asset Classes

In this project, we will study several statistical methods of modeling ranks and apply them to

forecast the ranks of asset classes and hence determine the optimal asset class allocation.

Supervisor: **Dr. Philip L.H. Yu**, Department of Statistics and Actuarial Science (MW521)

(plhyu@hku.hk)

- 9 -

22. Resampling Tests for Comparing k Cumulative Incidence Functions in a Competing Risks Model

In the competing risks framework, an individual is exposed to k risks, but the actual cause of

failure is due to only one of the risks. It is of great interest to examine whether there are

possible differences in mortality from different causes of failure. In this project, resampling

methods for comparing k risks in a competing risks model are studied.

Supervisor: **Prof. K.C. Yuen**, Department of Statistics and Actuarial Science (MW531)

(kcyuen@hku.hk)

23. Tests of extremal index based on inter-exceedances

The inter-exceedance times of a time series will be studied. Based on this, some test statistics of

the extremal index are developed. Properties of the test statistics such as the distributions and

powers are studied using theoretical and simulation methods. Real examples are also studied.

Requirement: Knowledge in programming language like FORTRAN or SAS is a MUST.

Supervisor: **Dr. Z. Zhang**, Department of Statistics and Actuarial Science (MW511)

(zhangz08@hku.hk)

****** END ******